



Author index to volume 222

Ågren, H., see Plashkevych, O.	222 (1997) 125
Ågren, H., see Yang, L.	222 (1997) 139
Albrecht, A.C., see Stimson, M.J.	222 (1997) 17
Alemán, C. and J. Puiggallí, Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups	222 (1997) 9
Baltzer, P., see Eland, J.H.D.	222 (1997) 229
Bässler, H., see Wolf, U.	222 (1997) 259
Baumgarten, M., see Zhang, J.	222 (1997) 1
Bednarek, G., R.P. Wayne, J. Wildt and E.H. Fink, The yield of $O_2(b^1\Sigma_g^+, v = 0)$ produced by quenching of $O_2(A^3\Sigma_u^+, v = 8)$ by O_2 [Chem. Phys. 185 (1994) 251–261]	222 (1997) 113
Bergeat, A., see Daugey, N.	222 (1997) 87
Bernas, A., C. Ferradini and J.-P. Jay-Gerin, On the electronic structure of liquid water: Facts and reflections	222 (1997) 151
Bessis, D., see Felfli, Z.	222 (1997) 117
Bhattacharya, S., see Roy, J.	222 (1997) 161
Bhattacharyya, S.P., see Roy, J.	222 (1997) 161
Borsenberger, P.M., see Wolf, U.	222 (1997) 259
Caubet, P., see Daugey, N.	222 (1997) 87
Chen, Z., see Felfli, Z.	222 (1997) 117
Cukrowski, A.S., see Fort, J.	222 (1997) 59
Dahoo, R., see Lakhlifi, A.	222 (1997) 241
Daugey, N., A. Bergeat, A. Schuck, P. Caubet and G. Dorthe, Vibrational distribution in $CN(X^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction	222 (1997) 87
De Alti, G., see Stener, M.	222 (1997) 197
Decleva, P., see Stener, M.	222 (1997) 197
Dorthe, G., see Daugey, N.	222 (1997) 87
Ekern, S., see Lakhlifi, A.	222 (1997) 241
Eland, J.H.D., P. Baltzer, L. Karlsson and B. Wannberg, The photoelectron spectrum of iodine cyanide, ICN	222 (1997) 229
Felfli, Z., Z. Chen, D. Bessis and A.Z. Msezane, Generalized oscillator strengths for the vibronic excitation levels of the $b^1\Pi_u$ electronic state of N_2	222 (1997) 117
Ferradini, C., see Bernas, A.	222 (1997) 151

Fink, E.H., see Bednarek, G. 222 (1997) 113

Fort, J. and A.S. Cukrowski, The effect of heat conduction on the rate of chemical reaction in dilute gases 222 (1997) 59

Fronzoni, G., see Stener, M. 222 (1997) 197

German, E.D., see Mertz, E.L. 222 (1997) 115

Ghosh, S., see Roy, J. 222 (1997) 161

Görner, H., Photoprocesses in spirobifluorene and their merocyanine isomers: Effects of temperature and viscosity 222 (1997) 315

Gruenbaum, W.T., see Wolf, U. 222 (1997) 259

Halpern, J.B. and Y. Huang, Radiative lifetimes, fluorescence quantum yields and photodissociation of the $C_2N_2(A^1\Sigma_u^-)$ and $(B^1\Delta_u)$ states: evidence for sterically hindered, triplet mediated crossings to the $(X^1\Sigma_g^+)$ ground state 222 (1997) 71

Hochman-Kowal, S. and A. Persky, Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions $D + H_2$, $H + HD$ and $H + D_2$ on the LSTH and DMBE potential energy surfaces 222 (1997) 29

Huang, Y., see Halpern, J.B. 222 (1997) 71

Jay-Gerin, J.-P., see Bernas, A. 222 (1997) 151

Karlsson, L., see Eland, J.H.D. 222 (1997) 229

Kuznetsov, A.M., see Mertz, E.L. 222 (1997) 115

Lakhli, A., R. Dahoo, M. Vala, J. Szczepanski and S. Ekern, A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra 222 (1997) 241

Le Calvé, N., B. Pasquier and Z. Ouafik, Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate 222 (1997) 299

Majumder, D., see Roy, J. 222 (1997) 161

Martin, J.-P., see Porshnev, P.I. 222 (1997) 289

Mertz, E.L., E.D. German and A.M. Kuznetsov, Calculation of the solvent reorganization free energy in the dielectric cavity model [Chem. Phys. 215 (1997) 355–370] 222 (1997) 115

Msezane, A.Z., see Felfli, Z. 222 (1997) 117

Niedzielski, J., see Pezler, B. 222 (1997) 215

Okazaki, S., J. Wang, S.A. Schofield and P.G. Wolynes, Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths 222 (1997) 175

Ouafik, Z., see Le Calvé, N. 222 (1997) 299

Pasquier, B., see Le Calvé, N. 222 (1997) 299

Perrin, M.-Y., see Porshnev, P.I. 222 (1997) 289

Persky, A., see Hochman-Kowal, S. 222 (1997) 29

Pettersson, L.G.M., see Plashkevych, O. 222 (1997) 125

Pezler, B., J. Niedzielski, A. Ratkiewicz and J. Turulski, Temperature dependence of the charge-linear dipole capture rate constant 222 (1997) 215

Plashkevych, O., L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson, Substituted benzenes as building blocks in near-edge X-ray absorption spectra 222 (1997) 125

Porshnev, P.I., H. Wallaart, M.-Y. Perrin and J.-P. Martin, Modeling of optical pumping experiments in CO: II. Steady conditions 222 (1997) 289

Puhovski, Y.P. and B.M. Rode, Molecular dynamics simulations of Na⁺ and Cl⁻ ions solvation in aqueous mixtures of formamide 222 (1997) 43

Puiggalí, J., see Alemán, C. 222 (1997) 9

Ratkiewicz, A., see Pezler, B. 222 (1997) 215

Rode, B.M., see Puhovski, Y.P. 222 (1997) 43

Rode, B.M., see Texler, N.R. 222 (1997) 281

Roy, J., S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya, Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods 222 (1997) 161

Schofield, S.A., see Okazaki, S. 222 (1997) 175

Schuck, A., see Daugey, N. 222 (1997) 87

Stener, M., G. De Alti, G. Fronzoni and P. Decleva, TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms 222 (1997) 197

Stimson, M.J., D.J. Ulness and A.C. Albrecht, Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane 222 (1997) 17

Strelakovsky, M.L., The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing 222 (1997) 223

Sumi, H., Phonon-progressive V-I characteristics of STM processes mediated by redox molecular adsorbates 222 (1997) 269

Szczepanski, J., see Lakhli, A. 222 (1997) 241

Texler, N.R. and B.M. Rode, Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms 222 (1997) 281

Tian, C. and C.R. Vidal, Electron impact dissociative ionization and the subsequent ion-molecule reactions in a methane beam 222 (1997) 105

Turulski, J., see Pezler, B. 222 (1997) 215

Ulness, D.J., see Stimson, M.J. 222 (1997) 17

Vahtras, O., see Plashkevych, O. 222 (1997) 125

Vala, M., see Lakhli, A. 222 (1997) 241

Vidal, C.R., see Tian, C. 222 (1997) 105

Wallaart, H., see Porshnev, P.I. 222 (1997) 289

Wang, J., see Okazaki, S. 222 (1997) 175

Wannberg, B., see Eland, J.H.D. 222 (1997) 229

Wayne, R.P., see Bednarek, G. 222 (1997) 113

Wildt, J., see Bednarek, G. 222 (1997) 113

Wolf, U., H. Bässler, P.M. Borsenberger and W.T. Gruenbaum, Hole trapping in molecularly doped polymers 222 (1997) 259
Wolynes, P.G., see Okazaki, S. 222 (1997) 175

Yang, L. and H. Ågren, Can substituted benzenes be used as building blocks in core electron shake-up spectra? 222 (1997) 139
Yang, L., see Plashkevych, O. 222 (1997) 125

Zhang, J. and M. Baumgarten, Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond 222 (1997) 1



ELSEVIER

Chemical Physics 222 (1997) 335–344

Chemical
Physics

Subject index to volume 222

Methods and constructs

Theoretical

Computational methods for electronic structure

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1
Generalized oscillator strengths for the vibronic excitation levels of the $b^1\Pi_u$ electronic state of N_2 , Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117
Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-perturbative and many body approaches

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-density functional theory

TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Alti, G. Fronzoni and P. Decleva 222 (1997) 197

Semiempirical methods

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggali 222 (1997) 9
On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151
Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Algebraic approaches

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Spin states and magnetic interactions

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Collisional and reactive molecular dynamics with non-frictional forces

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions D + H₂, H + HD and H + D₂ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Temperature dependence of the charge-linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Intramolecular dynamics

The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

Molecular dynamics of many particle systems and condensed phases

Molecular dynamics simulations of Na⁺ and Cl⁻ ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43

A theoretical study of C₃ molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhli, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Quasiparticle dynamics (incl. excitons, polarons)

Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Phonon-progressive V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phonon-progressive V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Statistical computational methods (incl. Monte Carlo)

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions D + H₂, H + HD and H + D₂ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281

Dynamics of structures, lattices and macromolecular conformations

Phonon-progressive V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phonon-progressive V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Non-equilibrium statistical mechanics

The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59

Non-equilibrium thermodynamic and hydrodynamic theories

Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Experiment*Magnetic resonances*

Vibrational distribution in CN($X^2\Sigma^+$) from the N + C₂ → CN + C reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

Molecular spectroscopy

Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

-infrared

Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

-Raman

Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

-UV

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C₂N₂(A¹ Σ_u^-) and (B¹ Δ_u) states: evidence for sterically hindered, triplet mediated crossings to the (X¹ Σ_g^+) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

Photoprocesses in spirocyclics and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

-visible

Photoprocesses in spirocyclics and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Photoelectron and Auger spectroscopy

Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

X-ray spectroscopy

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

Electron impact spectroscopy

Generalized oscillator strengths for the vibronic excitation levels of the $b^1\Pi_u$ electronic state of N_2 , Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

Laser induced fluorescence

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C_2N_2 ($A^1\Sigma_g^-$) and ($B^1\Delta_u$) states: evidence for sterically hindered, triplet mediated crossings to the ($X^1\Sigma_g^+$) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

Nonlinear optics and spectroscopy

Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Mass spectroscopy

Electron impact dissociative ionization and the subsequent ion-molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105

Neutron scattering (inelastic and quasielastic)

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Objects**Bulk systems***Gases*

The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59
 Vibrational distribution in $CN(X^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87
 Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
 Temperature dependence of the charge-linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215
 The influence of rotational relaxation on the unresolved Q -branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223
 The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229
 Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Liquids neat

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Liquid mixtures and solutions

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggallí 222 (1997) 9

Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43

Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Crystals

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Glasses

Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Polymers

Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Biological systems

Phonon-progressive $V-I$ characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phonon-progressive $V-I$ characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

*Microscopic and mesoscopic systems**Single atoms, molecules and assemblies (incl. biological)*

Generalized oscillator strengths for the vibronic excitation levels of the $b\ ^1\Pi_u$ electronic state of N_2 , Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Altı, G. Fronzoni and P. Decleva 222 (1997) 197

Temperature dependence of the charge-linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Molecules (neutral and ionic)

Generalized oscillator strengths for the vibronic excitation levels of the $b\ ^1\Pi_u$ electronic state of N_2 , Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

-*diatomic*

The influence of rotational relaxation on the unresolved Q -branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

-*small polyatomics*

Electron impact dissociative ionization and the subsequent ion-molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

-*aromatics*

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125

-*other large*

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggali 222 (1997) 9

Molecular aggregates

Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

-*dimers*

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

-*complexes*

Monte Carlo simulations of copper chloride solutions at various concentrations including full 3-body correction terms, N.R. Texler and B.M. Rode 222 (1997) 281

Free radicals (incl. hydronium and muonium)

Vibrational distribution in $CN(X\ ^2\Sigma^+)$ from the $N + C_2 \rightarrow CN + C$ reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

Ions and charge carriers

Temperature dependence of the charge-linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Supramolecular assemblies (incl. nanoparticles and nanostructures)

Phonon-progression V - I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269
 Phonon-progression V - I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phenomena*Molecular structure*

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggallí 222 (1997) 9
 Investigation of anhydrous benz (f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161
 A theoretical study of C_3 molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhli, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Vibrations and rotations of molecules

Frequency resolved interferometric coherent Raman spectroscopy with incoherent light: Raman frequency shifts, dephasing rate constants, and nonresonant hyperpolarizabilities of mixtures of benzene in hexane, M.J. Stimson, D.J. Ulness and A.C. Albrecht 222 (1997) 17

Electronic structure and states

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson 222 (1997) 125
 On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Structure of solids, liquids and glasses

Molecular dynamics simulations of Na^+ and Cl^- ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43

Thermodynamic and transport properties

Free energies of solvation in aqueous and organic solutions for solutes with amide, keto and ester functional groups, C. Alemán and J. Puiggallí 222 (1997) 9

Electric and magnetic properties

Hole trapping in molecularly doped polymers, U. Wolf, H. Bässler, P.M. Borsenberger and W.T. Gruenbaum 222 (1997) 259

Spin splittings

Novel supramolecular architecture of high-spin aggregates? The comparison of ferromagnetic coupling through space and through hydrogen bond, J. Zhang and M. Baumgarten 222 (1997) 1

Molecular interactions

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions D + H₂, H + HD and H + D₂ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Generalized oscillator strengths for the vibronic excitation levels of the b ¹Π_u electronic state of N₂, Z. Felfli, Z. Chen, D. Bessis and A.Z. Msezane 222 (1997) 117

A theoretical study of C₃ molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhilfi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik 222 (1997) 299

Spectral bandshapes and intensities

The influence of rotational relaxation on the unresolved Q-branch density-shift induced by vibrational dephasing, M.L. Strekalov 222 (1997) 223

The photoelectron spectrum of iodine cyanide, ICN, J.H.D. Eland, P. Baltzer, L. Karlsson and B. Wannberg 222 (1997) 229

Energy transfer processes

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

Molecular photophysical processes

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C₂N₂ (A ¹Σ_u⁻) and (B ¹Δ_u) states: evidence for sterically hindered, triplet mediated crossings to the (X ¹Σ_g⁺) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin 222 (1997) 151

Investigation of anhydrous benz(f) ninhydrin, indanetrione and 5-methoxy indanetrione by electronic absorption and emission spectroscopy and computational chemistry methods, J. Roy, S. Bhattacharya, S. Ghosh, D. Majumder and S.P. Bhattacharyya 222 (1997) 161

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

Photochemistry

Photoprocesses in spiropyrans and their merocyanine isomers: Effects of temperature and viscosity, H. Görner 222 (1997) 315

*Intramolecular dynamics**-radiationless transitions*

Radiative lifetimes, fluorescence quantum yields and photodissociation of the C₂N₂ (A ¹Σ_u⁻) and (B ¹Δ_u) states: evidence for sterically hindered, triplet mediated crossings to the (X ¹Σ_g⁺) ground state, J.B. Halpern and Y. Huang 222 (1997) 71

-vibrational energy redistribution (incl. vibrational dissociation)

Vibrational distribution in CN(X^{2Σ⁺}) from the N + C₂ → CN + C reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

Modeling of optical pumping experiments in CO: II. Steady conditions, P.I. Porshnev, H. Wallaart, M.-Y. Perrin and J.-P. Martin 222 (1997) 289

-protein motion

Phonon-progressional V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Phonon-progressional V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi 222 (1997) 269

Coherence loss processes

Quantum twinkling: statistics, coherence and the high order moments of probability amplitudes for systems coupled to quantum baths, S. Okazaki, J. Wang, S.A. Schofield and P.G. Wolynes 222 (1997) 175

Reactions (incl. dissociation)

The effect of heat conduction on the rate of chemical reaction in dilute gases, J. Fort and A.S. Cukrowski 222 (1997) 59

Vibrational distribution in CN(X^{2Σ⁺}) from the N + C₂ → CN + C reaction, N. Daugey, A. Bergeat, A. Schuck, P. Caubet and G. Dorthe 222 (1997) 87

-collisional

Temperature dependence of the charge–linear dipole capture rate constant, B. Pezler, J. Niedzielski, A. Ratkiewicz and J. Turulski 222 (1997) 215

Proton and hydrogen atom transfer

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions D + H₂, H + HD and H + D₂ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

Ionization (incl. Rydberg states)

Electron impact dissociative ionization and the subsequent ion–molecule reactions in a methane beam, C. Tian and C.R. Vidal 222 (1997) 105

Can substituted benzenes be used as building blocks in core electron shake-up spectra?, L. Yang and H. Ågren 222 (1997) 139

TDLDA calculations of photoionization cross-section and asymmetry parameter profiles of alkaline-earth atoms, M. Stener, G. De Altı, G. Fronzoni and P. Decleva 222 (1997) 197

Molecular motion (incl. diffusive)

Molecular dynamics simulations of Na⁺ and Cl⁻ ions solvation in aqueous mixtures of formamide, Y.P. Puhovski and B.M. Rode 222 (1997) 43

A theoretical study of C₃ molecule trapped in rare gas matrices: Influence of bent or linear configuration on the infrared spectra, A. Lakhlifi, R. Dahoo, M. Vala, J. Szczepanski and S. Ekern 222 (1997) 241

Isotopic effects

Quasiclassical trajectory study of the effect of rotation on reactivity for the reactions D + H₂, H + HD and H + D₂ on the LSTH and DMBE potential energy surfaces, S. Hochman-Kowal and A. Persky 222 (1997) 29

-adsorbate structure

Phonon-progressional V-I characteristics of STM processes mediated by redox molecular adsorbates, H. Sumi

222 (1997) 269

Electronic process in gases

Substituted benzenes as building blocks in near-edge X-ray absorption spectra, O. Plashkevych, L. Yang, O. Vahtras, H. Ågren and L.G.M. Pettersson

222 (1997) 125

Thermodynamic and transport properties

On the electronic structure of liquid water: Facts and reflections, A. Bernas, C. Ferradini and J.-P. Jay-Gerin

222 (1997) 151

Critical behavior and phase transitions

Vibrational study by inelastic neutron scattering, infrared absorption and Raman scattering of potassium, rubidium and cesium dihydrogenarsenate crystals: Comparison with thallium dihydrogenarsenate, N. Le Calvé, B. Pasquier and Z. Ouafik

222 (1997) 299

